

PRINT SPECS

/PRINT
SPECIFICATIONS

**NEDERLANDSE
VERSIE/**
SPECS PRINT

**ENGLISH
VERSION/**
SPECIFICATIONS
PRINT



LINDA.
SPECS PRINT

Specificaties LINDA. en LINDA.specials

Specificaties LINDA.LOVES

Specificaties LINDA.meiden

Technische informatie sachets en inserts

Aanlevercondities sachets en inserts

LINDA. advertentie richtlijnen

LINDA.

SPECIFICATIES

UITGEVER Mood for Magazines

VERSCHIJNINGSFREQUENTIE 12 x per jaar + LINDA.vakantieboek

VERSCHIJNINGSDAG woensdag

SPECIALE UITGAVEN L'HOMO., LINDA.man, LINDA.loves

VERSCHIJNINGSFREQUENTIE 4 x per jaar

VERSCHIJNINGSDAG dinsdag

OMVANG min. 164 pagina's

ADVERTENTIE-EXPLOITATIE Mood for Magazines

ABONNEMENTSPRIJS PER JAAR €83,85

ALLES-ABONNEMENT €132,45

MEER-ABONNEMENT €106,20

PLUS-ABONNEMENT €109,65

LINDA. JAAR €86,85

LINDA. HALFJAAR €41,70

LOSSE NUMMER PRIJS LINDA. €6,45

LOSSE NUMMER PRIJS LINDA.VAKANTIEBOEK €7,50

PRIJS EXTRA BEWIJSNUMMER LINDA. €4,14

PRIJS EXTRA BEWIJSNUMMER VAKANTIEBOEK €4,82

ANNULERINGSTERMIJN zie algemene voorwaarden

Mood for Magazines 2019

MATERIAAL Mood for Magazines, Huizerstraatweg 117,
1411 GM Naarden - sales@moodformagazines.nl

ALGEMENE VOORWAARDEN zie algemene voorwaarden

Mood for Magazines 2019

LINDA.

SPECIFICATIES

LINDA.

FORMAAT 230 x 275 mm (bxh)

DRUKPROCEDÉ rotatie offset

PAPIERSOORT BINNENWERK 90 grams lichthoudend gesatineerd M.C., omslag 170 grams gesatineerd houtvrij M.C.

DRUK full colour

BLADSPIEGEL 230 x 275 mm (bxh)

UITVOERING garenloos gebrocheerd (lumbeck)

LINDA.VAKANTIEBOEK

FORMAAT 196 x 235 mm (bxh)

DRUKPROCEDÉ Rotatie offset

PAPIERSOORT BINNENWERK Inner UPM Star Matt 1.2 H-80 grams

DRUK full colour

BLADSPIEGEL 196 x 235 mm (bxh)

UITVOERING GARENLOOS gebrocheerd (lumbeck)

AANLEVERSPECIFICATIES ADVERTENTIEMATERIAAL

Specs 1/1 pagina LINDA: Certified PDF met het formaat van 230mm x 275mm met 5mm overfull rondom. Drukprofiel ISO coated v2, minimaal 300dpi. CMYK.

Specs 1/1 pagina LINDA.vakantieboek: Certified PDF met het formaat van 196mm x 235mm met 5mm overfull rondom. Drukprofiel ISOcoated_v2_300_eci.icc, minimaal 300dpi. CMYK.

Digitale bestanden in het bestandsformaat Certified PDF tijdschriften Nederland. Het digitale bestand moet voorzien zijn van een contactproef die is afgestemd op het drukprocédé van de desbetreffende titel, en moet volledig overeenkomen met de specificaties van de lithograaf. Bij aflopende advertenties 5 mm afsnede rondom toevoegen. Een 2/1 pagina moet aangeleverd worden als 2 x 1/1 pagina. Een insert is pas definitief als deze door Mood for Magazines is goedgekeurd. Zie ook onze richtlijnen voor de advertenties.

linda.nl/adverteren

LINDA. LOVES

SPECIFICATIES

UITGEVER Mood for Magazines
VERSCHIJNINGSFREQUENTIE 2 x per jaar
VERSCHIJNINGS DAG dinsdag
OMVANG MIN. 188 pagina's
ADVERTENTIE-EXPLOITATIE Mood for Magazines
ALLES-ABONNEMENT €135,45
MEER-ABONNEMENT €106,20
LOSSE NUMMER PRIJS €7,50
PRIJS EXTRA BEWIJSNUMMER €4,82

ANNULERINGSTERMIJN zie algemene voorwaarden Mood for Magazines 2019

MATERIAAL Mood for Magazines, Huizerstraatweg 117, 1411 GM Naarden – sales@moodformagazines.nl

ALGEMENE VOORWAARDEN zie algemene voorwaarden Mood for Magazines 2019

FORMAAT 190 x 240mm (bxh)

PAPIERSOORT BINNENWERK 115 grams HV mat mc

DRUK full colour

BLADSPIEGEL 190 x 240mm (bxh)

AANLEVERSPECIFICATIES ADVERTENTIEMATERIAAL

Specs 1/1 pagina LINDA.LOVES: Certified PDF met het formaat van 190mm x 240mm met 5mm overfull rondom. Drukprofiel ISO coated v2 300%, minimaal 300dpi, CMYK.

Digitale bestanden in het bestandsformaat Certified PDF tijdschriften Nederland. Het digitale bestand moet voorzien zijn van een contactproef die is afgestemd op het drukprocédé van de desbetreffende titel, en moet volledig overeenkomen met de specificaties van de lithograaf. Bij aflopende advertenties 5 mm afsnede rondom toevoegen. Een 2/1 pagina moet aangeleverd worden als 2 x 1/1 pagina. Een insert is pas definitief als deze door Mood for Magazines is goedgekeurd. Zie ook onze richtlijnen voor de advertenties.

linda.nl/adverteren

LINDA.meiden

SPECIFICATIES

UITGEVER Mood for Magazines

VERSCHEIJNINGSFREQUENTIE 4 x per jaar + Zomerboek en Winterboek

VERSCHEIJNINGS DAG dinsdag

OMVANG MIN. 164 pagina's

ADVERTENTIE-EXPLOITATIE Mood for Magazines

ABONNEMENTSPRIJS PER JAAR €37,20

ALLES-ABONNEMENT €135,45

PLUS-ABONNEMENT €109,65

LOSSE NUMMER PRIJS REGULIER €5,70

LOSSE NUMMER PRIJS ZOMERBOEK EN WINTERBOEK €6,95

PRIJS EXTRA BEWIJSNUMMER LINDA.MEIDEN €3,66

PRIJS EXTRA BEWIJSNUMMER ZOMERBOEK + WINTERBOEK €4,46

ANNULERINGSTERMIJN zie algemene voorwaarden Mood for Magazines 2019

MATERIAAL Mood for Magazines,
Huizerstraatweg 117, 1411 GM Naarden –
sales@moodformagazines.nl

ALGEMENE VOORWAARDEN zie algemene voorwaarden Mood for Magazines 2019

LINDA.meiden

SPECIFICATIES

LINDA.MEIDEN

FORMAAT 230 x 275 mm (bxh)

DRUKPROCEDÉ rotatie offset

PAPIERSOORT binnenwerk 90 grams lichthoudend gesatineerd M.C.,
omslag 170 grams gesatineerd houtvrij M.C.

DRUK full colour

BLADSPIEGEL 230 x 275 mm (bxh)

UITVOERING garenloos gebrocheerd (lumbeck)

LINDA.MEIDEN ZOMER- EN WINTERBOEK

FORMAAT 196 mm x 235 mm (bxh)

DRUKPROCEDÉ rotatie offset

PAPIERSOORT BINNENWERK Inner UPM Star Matt 1.2 H-80 grams

DRUK full colour

BLADSPIEGEL 196 x 235 mm (bxh)

UITVOERING garenloos gebrocheerd (lumbeck)

AANLEVERSPECIFICATIES ADVERTENTIEMATERIAAL

Specs 1/1 pagina LINDA.meiden: Certified PDF met het formaat van 230mm x 275mm met 5mm overfull rondom. Drukprofiel ISO coated v2, minimaal 300dpi. CMYK.

Specs 1/1 pagina LINDA.meiden zomer- en winterboek: Certified PDF met het formaat van 196mm x 235mm met 5mm overfull rondom. Drukprofiel ISOcoated_v2_300_eci.icc, minimaal 300dpi. CMYK.

Digitale bestanden in het bestandsformaat Certified PDF tijdschriften Nederland. Het digitale bestand moet voorzien zijn van een contactproef die is afgestemd op het drukprocédé van de desbetreffende titel, en moet volledig overeenkomen met de specificaties van de lithograaf. Bij aflopende advertenties 5 mm afsnede rondom toevoegen. Een 2/1 pagina moet aangeleverd worden als 2 x 1/1 pagina. Een insert is pas definitief als deze door Mood for Magazines is goedgekeurd. Zie ook onze richtlijnen voor de advertenties.

linda.nl/adverteren

LINDA.

TECHNISCHE INFORMATIE SACHETS EN INSERTS 1/3

SACHETS

Testen sachel

Om na te gaan of het sachel in een uitgave van Mood For Magazines verwerkt kan worden, zijn er voor een eerste beoordeling 10 exemplaren nodig. Ingeval deze beoordeling een plaktest nodig maakt, zijn er voor de test (per drukkerij) minimaal 1.000 sachets vereist. Voor het optimaal uitvoeren van de plaktest dient de opdrachtgever ook een lay-out bij te leveren van de gewenste stand op de pagina. Deze beoordeling en de eventuele plaktest gelden ook voor papieren sachets zonder vloeistof. De aanvaarding van de opdracht en de definitieve prijsstelling voor het opplakken of op een andere wijze meenemen in Sanoma Uitgevers bv zijn afhankelijk van de eerste beoordeling en de eventueel uit te voeren plaktest.

Folie sachel

Voor een goede verwerking van de sachets in LINDA.-magazine is de keuze van de folie en het formaat van het sachel erg belangrijk. Voor het op de pagina plakken dient het sachel een zekere stijfheid te hebben.

De juiste keuze van de folie is dan ook van essentieel belang. In verband met een goede verwerkbaarheid geven de drukkerijen de voorkeur aan Alu PET PE. Voor een goede hechting van de lijm verzoeken wij u erop toe te zien dat een eventuele beschermlak geen siliconen bevat.

Formaten sachel

Voor sachets die op een advertentiepagina geplakt zullen worden, geldt een minimum formaat van 55 mm breed x 75 mm hoog, het maximum formaat is 80 mm breed x 150 mm hoog. Afwijking hierop uitsluitend in overleg.

Drukbestendigheid

De sachets dienen een druk te kunnen weerstaan van 1.000 kg gedurende 5 seconden. Dit om beschadiging van de bladen door lekkage van de sachets te voorkomen. De fabrikant dient de sachets tijdens het produceren uit te (laten) testen volgens de Military Standard 105 D norm (of vergelijkbaar).

Sealranden

Om lekkage door de grijpers van het plakapparaat te voorkomen, is het noodzakelijk dat de sealranden aan het sachel minimaal 5 mm breed zijn. Dit laatste geldt niet voor sachets zonder vloeistof of voor sachets die volgens opdracht bij een blad mee geseald worden. De vereiste drukbestendigheid blijft in alle gevallen onverkort van kracht. Voor een goede verwerking in de bladen is een absolute voorwaarde dat de sachets, en in het bijzonder de sealranden, zo vlak mogelijk zijn.

Verpakking

De sachets dienen rechtstandig in één richting in dozen van ca. 500 exemplaren aangeleverd te worden. De rijen sachets moeten gescheiden worden met behulp van tussenschotjes. Om vervorming van de sealranden te voorkomen moeten zowel dozen als tussenschotjes 10 mm hoger zijn dan de sachets. Gebruik goed hanteerbare dozen.

LINDA.

TECHNISCHE INFORMATIE SACHETS EN INSERTS 2/3

INSERTS

- Het meelumbecken van een insert die rondom, **in zowel de hoogte in de breedte 2 cm kleiner is dan LINDA.** dient aan de rechter- en de staartzijde schoongesneden te zijn. De insert moet zijn voorzien van 5 mm kopwit en 3 mm freeswit.
- Het meelumbecken van een insert die **in de breedte kleiner is dan LINDA.** dient aan de voorzijde schoongesneden te zijn. De kop- en de staartzijde moet worden voorzien van 5 mm kopwit, 5 mm staartwit en 3 mm freeswit.
- Het meelumbecken van een insert die **in de hoogte kleiner is dan LINDA.** dient aan de staartzijde schoongesneden te zijn. De kop- en voorzijde moet worden voorzien van 5 mm kopwit, 5 mm voorafsnede en 3 mm freeswit.
- Papiersoort van de insert dient afwijkend te zijn van het papiersoort van LINDA. magazine.
- Het lettertype van de insert dient afwijkend te zijn van het lettertype van LINDA. magazine.
- Sachets en plakkaarten dienen te allen tijde 20 mm binnen de snijrand en uit de rug geplakt worden.

AANSPRAKELIJKHEID

Indien reeds gedrukt zonder akkoord van Mood for Magazines, ligt de verantwoordelijkheid bij de klant. Ingeval bij aflevering of tijdens de productie van de magazines er geconstateerd wordt dat de sachets niet overeenkomen met de voorwaarden, ze al zijn vervaardigd en naar de beoordeling van de drukkerij als gevolg hiervan niet of alleen met productievertraging te verwerken zullen zijn of ingeval bij aflevering of tijdens de productie lekkage wordt geconstateerd, behoudt Mood for Magazines zich het recht voor de levering te weigeren of onmiddellijk met de verwerking van de sachets in de magazines te stoppen. De uit storingen en/of weigering van de levering voortvloeiende extra kosten en schaden zal opdrachtgever aan Mood for Magazines vergoeden onverminderd het recht van Mood for Magazines op vergoeding van de overeengekomen tarieven voor opname van de sachets. Ingeval na verwerking van de sachets en tijdens de verspreiding van Mood for Magazines lekkage wordt geconstateerd, zal opdrachtgever alle hieruit voortvloeiende kosten en schaden aan Mood for Magazines vergoeden.

LINDA.

TECHNISCHE INFORMATIE
SACHETS EN INSERTS 3/3

DUMMY

Mood for Magazines wil te allen tijde twee maanden voor verschijning een tiental dummy's ontvangen ter goedkeuring.

Afleveradres dummy's

Mood for Magazines (5 ex.)
t.a.v. Sales Support
Huizerstraatweg 117
1411 GM Naarden
Nederland

Walstead Kraków Sp. z o.o. (5 ex.)
Attn. Jacek Lopta
ul. Obrońców Modlina 11
30-733 Kraków
Poland

AFLEVERADRESSEN

Afleveradres aanleveren gehele drukoplage, afleveradres t.b.v. LINDA. losse verkoop en t.b.v. LINDA. abonnees plakken en meehechten

Walstead Kraków Sp. z o.o.
o.v.v. product, magazine titel en editienummer
ul. Obrońców Modlina 11
30-733 Kraków
Poland

Afleveradres t.b.v. LINDA. abonnees los insteken/opleggen

Nic Oud
o.v.v. product, magazine titel en editienummer
Newtonstraat 46
1704 SB Heerhugowaard
Nederland

Afleveradres aanleveren gehele drukoplage t.b.v. LINDA.meiden zomer- en winterboek losse verkoop en abonnees plakken en meehechten

Habo Da Costa
t.a.v. Arnout Vlaanderen
o.v.v. product, magazine titel en editienummer
Marconieweg 3
4131 PD Vianen
Nederland

LINDA.

AANLEVERCONDITIES SACHETS EN INSERTS 1/3

ADMINISTRATIEVE BEGELEIDING

Aangeleverde goederen/pallets moeten zijn voorzien van (pallet-)labels met:

- De naam van de insert en eventuele coderingen.
- De titel waarin de insert verwerkt wordt.
- Het editienummer van betreffende titel

De begeleidende vrachtbrief moet voorzien zijn van dezelfde gegevens als hierboven, aangevuld met de geleverde aantallen.

Leverdata worden verstrekt door Sales Support

Indien aan bovenstaande niet wordt voldaan, zal Mood for Magazines of de namens Mood for Magazines optredende drukkerij/afwerker zich het recht voorbehouden de levering te weigeren.

FYSIEKE CONDITIES

Geleverde goederen moeten dusdanig verpakt zijn dat voldaan wordt aan de volgende condities:

- Producten mogen niet beschadigd zijn.
- Producten mogen niet krom/gebogen zijn.
- Producten mogen niet plakken/kleven.
- Producten moeten in productie goed verwerkbaar zijn.

Ter voorkoming van het bovenstaande zijn hieronder de verpakkingseisen cq verpakkingssuggesties opgesomd.

BUNDELING

Voorkom het gebruik van bundeltouwjes om kromtrekken te voorkomen.

Maak geen gebruik van elastiekjes, omsnoering, papieren bandjes, etc.

Eventuele deelslagen kleiner dan 7 cm leiden tot extra kosten, welke doorberekend worden.

Per slag resp. per bundel dienen alle exemplaren in dezelfde richting gestapeld te zijn.

Slagen dienen goed gesepareerd te zijn, zowel boven als naast elkaar.

Indien stapeling niet goed mogelijk is, kan het gebruik van dozen of palletdozen raadzaam zijn, met gebruik tussenschotten.

LINDA.

AANLEVERCONDITIES SACHETS EN INSERTS 2/3

DOZEN/PALLET

- Gewicht van dozen mag maximaal 8 kg zijn.
- Dozen mogen niet ingedrukt of beschadigd zijn.
- Waar mogelijk dozen in verband op pallet stapelen.
- De tussenschotjes dienen 1 cm hoger te zijn dan de inhoud.

PALLETS

- Pallets dienen goed verpakt aangeleverd te worden in wikkel- of krimpfolie.
- Zonodig tussen de diverse lagen stevige tussenwegvellen aanbrengen.
- Zonodig hoeksteunen gebruiken.
- Producten dienen binnen de pallet te blijven.
- Bij voorkeur gebruik van Europallets; deze worden omgeruild.
- Gebruik van palletboxen is niet toegestaan. Een uitzondering hierop zijn palletdozen.
- Drukwerk voorzien van UV-Lak niet hoger stapel dan 80 cm. Pallets dienen gemerkt te worden met "niet stapelen".

LINDA.

AANLEVERCONDITIES SACHETS EN INSERTS 3/3

AANVULLENDE CONDITIES

Verspringend hechten

Indien een goede stapeling dat vereist, is het toegestaan de producten verspringend gehecht aan te leveren.

Perforeren

Bij producten met perforatie (bv. In de rug of in de gesloten boven- cq onderzijde) mag perforatie niet leiden tot risico van scheuren.

Zonodig (bij antwoordkaarten e.d.) de perforatie minimaal 10 mm uit de rug aanbrengen.

In line gehechte producten

Nietjes van in line gehechte producten dienen vlak en gesloten te zijn, teneinde productieproblemen te voorkomen.

Vouwen

Tenzij anders aangegeven dienen kaarten, folders en brochures gevouwen aangeleverd te worden.

Modellen

Te allen tijde verdient het aanbeveling modellen ter controle zo spoedig mogelijk te sturen.

ALGEMEEN

Ieder verzoek om informatie, resp. Vragen over specificaties of leveringen dienen te worden gericht tot Mood for Magazines en niet tot de desbetreffende verwerker.

Indien de levering niet voldoet aan de bovengenoemde condities of eerder dan de door Mood for Magazines vastgestelde leverdatum wordt aangeboden, behoudt Mood for Magazines zich het recht de levering te weigeren.

Bij voortijdige levering is Mood for Magazines gerechtigd om zonder vooraankondiging opslag- en administratiekosten aan haar opdrachtgever in rekening te brengen.

Mood for Magazines kan geen aansprakelijkheid aanvaarden voor de inhoud en gevolgen van afspraken welke met betrekking tot de transactie in kwestie met derden worden gemaakt, tenzij Mood for Magazines daaraan uitdrukkelijk haar goedkeuring hecht.

De Algemene Advertentie Voorwaarden van Mood for Magazines zijn onverkort van toepassing op opdrachten voor inserts.

RICHTLIJNEN ADVERTENTIES

Voor 1/1 pagina advertenties in LINDA. hanteren we de volgende richtlijnen:

- Minstens 2/3 beeld, maximaal 1/3 tekst
- Geen schreeuwerige uitingen en/of actiestickers
- Geen verwijzingen naar LINDA.
- Geen advertorials
- Geen LINDA. Look & Feel
- Geen coupons en/of knipranden
- Prijzen alleen klein vermeld

Vragen over de opmaak van de advertentie? Mail je accountmanager!



LINDA.
SPECIFICATIONS PRINT

LINDA.

CONTENTS

Specifications for LINDA. and LINDA.specials

Specifications for LINDA.LOVES

Specifications for LINDA.meiden

Technical information about sachets and inserts

Terms of delivery for sachets and inserts

LINDA. ad policy

LINDA.

SPECIFICATIONS

PUBLISHER Mood for Magazines

PUBLICATION FREQUENCY 12 issues a year + LINDA.vakantieboek

PUBLICATION DAY Wednesday

SPECIAL EDITIONS L'HOMO., LINDA.man, LINDA.loves

PUBLICATION FREQUENCY 4 issues a year

PUBLICATION DAY Tuesday

NUMBER OF PAGES min. 164

ADVERTISING SALES Mood for Magazines

ANNUAL SUBSCRIPTION RATE €83.85

ALL-IN SUBSCRIPTION €132.45

MORE SUBSCRIPTION €106.20

PLUS SUBSCRIPTION €109.65

LINDA. ANNUAL €86.85

LINDA. HALF-YEARLY €41.70

SINGLE ISSUE PRICE LINDA. €6.45

SINGLE ISSUE PRICE LINDA.VAKANTIEBOEK €7.50

PRICE OF ADDITIONAL SPECIMEN COPY LINDA. €4.14

PRICE OF ADDITIONAL SPECIMEN COPY VAKANTIEBOEK €4.82

CANCELLATION PERIOD See General Terms and Conditions

Mood for Magazines 2019

MATERIALS Mood for Magazines, Huizerstraatweg 117,
1411 GM Naarden - sales@moodformagazines.nl

GENERAL TERMS AND CONDITIONS

See General Terms and Conditions

Mood for Magazines 2019

LINDA.

SPECIFICATIONS

LINDA.

SIZE 230 x 275 mm (bxh)

PRINTING PROCESS rotation offset

PAPER TYPE INSIDE 90 g light wood grain glazed MC; cover:
170 g glazed wood-free MC

PRINT full colour

TRIM AREA 230 x 275 mm (bxh)

DESIGN adhesive binding (Lumbeck)

LINDA.VAKANTIEBOEK

SIZE 196 x 235 mm (bxh)

PRINTING PROCESS rotation offset

PAPER TYPE INSIDE Inner UPM Star Matt 1.2 H-80 g

PRINT full colour

TRIM AREA 196 x 235 mm (bxh)

DESIGN adhesive binding (Lumbeck)

SPECIFICATIONS FOR DELIVERY OF ADVERTISING MATERIAL

Specs for 1/1 page LINDA.: Certified PDF at a size of 230 x 275 mm with 5 mm bleed all the way around. Print profile ISO coated v2, minimum of 300 dpi. CMYK.

Specs for 1/1 page LINDA.vakantieboek: Certified PDF at a size of 196 x 235 mm with 5 mm bleed all the way around. Print profile ISOcoated_v2_300_eci, minimum of 300 dpi. CMYK.

Digital files in file size Certified PDF magazine Holland Digital files must include a colour proof, fully adapted to LINDA.'s printing process for the relevant title and must fully comply with the lithographer's specifications. Add 5 mm all around for bleed advertisements. A 2/1 page must be delivered as 2 x 1/1 page. Inserts are final only after approval by Mood for Magazines.

linda.nl/adverteren

LINDA. LOVES

SPECIFICATIONS

PUBLISHER Mood for Magazines	CANCELLATION PERIOD See Mood for Magazines General Terms and Conditions 2019
PUBLICATION FREQUENCY 2 issues a year	MATERIALS Mood for Magazines, Huizerstraatweg 117, 1411 GM Naarden – sales@moodformagazines.nl
PUBLICATION DAY Tuesday	GENERAL TERMS AND CONDITIONS See Mood for Magazines General Terms and Conditions 2019
NUMBER OF PAGES min. 188	SIZE 190 x 240 mm (bxh)
ADVERTISING SALES Mood for Magazines	PAPER TYPE INSIDE 115 grams HV mat mc
ALL-IN SUBSCRIPTION €135.45	PRINT full colour
MORE SUBSCRIPTION €106.20	TRIM AREA 190 x 240 mm (bxh)
SINGLE ISSUE PRICE €7.50	
PRICE OF ADDITIONAL SPECIMEN COPY €4.82	

SPECIFICATIONS FOR DELIVERY OF ADVERTISING MATERIAL

Specs for 1/1 page LINDA.LOVES: Certified PDF at a size of 190 x 240 mm with 5 mm bleed all the way around. Print profile: ISO coated v2 300%. Minimum of 300 dpi. CMYK.

Digital files in file size Certified PDF magazine Holland Digital files must include a colour proof, fully adapted to LINDA.'s printing process for the relevant title and must fully comply with the lithographer's specifications. Add 5 mm all around for bleed advertisements. A 2/1 page must be delivered as 2 x 1/1 page. Inserts are final only after approval by Mood for Magazines.

linda.nl/adverteren

LINDA.meiden

SPECIFICATIONS

PUBLISHER Mood for Magazines
PUBLICATION FREQUENCY 4 issues a year + Zomerboek and Winterboek
PUBLICATION DAY Tuesday
NUMBER OF PAGES min. 164
ADVERTISING SALES Mood for Magazines
ANNUAL SUBSCRIPTION RATE €37.20
ALL-IN SUBSCRIPTION €135.45
PLUS SUBSCRIPTION €109.65
SINGLE ISSUE PRICE REGULAR €5.70
SINGLE ISSUE PRICE ZOMERBOEK AND WINTERBOEK €6.95
PRICE OF ADDITIONAL SPECIMEN COPY LINDA.MEIDEN €3.66
**PRICE OF ADDITIONAL SPECIMEN COPY ZOMERBOEK
+ WINTERBOEK** €4.46

CANCELLATION PERIOD See Mood for Magazines General Terms and Conditions 2019

MATERIALS Mood for Magazines,
Huizerstraatweg 117, 1411 GM Naarden –
sales@moodformagazines.nl

GENERAL TERMS AND CONDITIONS
See Mood for Magazines General Terms and
Conditions 2019

LINDA.meiden

SPECIFICATIONS

LINDA.MEIDEN

SIZE 230 x 275 mm (bxh)

PRINTING PROCESS rotation offset

PAPER TYPE INSIDE 90 g light wood grain glazed MC; cover: 170 g glazed wood-free MC

PRINT full colour

TRIM AREA 230 x 275 mm (bxh)

DESIGN adhesive binding (Lumbeck)

LINDA.MEIDEN ZOMER- EN WINTERBOEK

SIZE 196 x 235 mm (bxh)

PRINTING PROCESS rotation offset

PAPER TYPE INSIDE Inner UPM Star Matt 1.2 H-80 g

PRINT full colour

TRIM AREA 196 x 235 mm (bxh)

DESIGN adhesive binding (Lumbeck)

SPECIFICATIONS FOR DELIVERY OF ADVERTISING MATERIAL

Specs for 1/1 page LINDA.meiden: Certified PDF at a size of 230 x 275 mm with 5 mm bleed all the way around. Print profile ISO coated v2, minimum of 300 dpi. CMYK.

Specs for 1/1 page LINDA.meiden zomerboek and winterboek: Certified PDF at a size of 196 x 235 mm with 5 mm bleed all the way around. Print profile ISOcoated_v2_300_eci, minimum of 300 dpi. CMYK.

Digital files in file size Certified PDF magazine Holland Digital files must include a colour proof, fully adapted to LINDA.'s printing process for the relevant title and must fully comply with the lithographer's specifications. Add 5 mm all around for bleed advertisements. A 2/1 page must be delivered as 2 x 1/1 page. Inserts are final only after approval by Mood for Magazines.

linda.nl/adverteren

LINDA.

TECHNICAL INFORMATION SACHETS AND INSERTS 1/3

SACHETS

Testing sachets

To investigate whether a particular sachet can be included in a publication by Mood for Magazines, ten sample sachets must be submitted for an initial assessment. If this assessment requires an adhesion test, then at least 1,000 sachets (per publisher) must be submitted for testing. In order to optimise the accuracy of the adhesion test, the client must also supply the page layout to indicate the desired part of the page to which the sachet must be attached. This initial assessment and the adhesion test (if applicable) must also be carried out for paper sachets that do not contain fluid. Acceptance of the consignment, and the definitive price for attachment of the sachets, by adhesion or any other means, to a publication by Sanoma Uitgevers bv, are conditional upon the results of the initial assessment and (if applicable) the adhesion test.

Foil sachets

To enable efficient processing of the sachets into LINDA. magazine, careful attention must be paid to both the type of foil and the shape of the sachet.

To ensure optimal adhesion, the sachet must have a certain degree of rigidity.

The right choice of foil is essential for this matter. Due to its workability, Alu PET PE is mainly used in the printing industry. To guarantee that the glue provides optimal adhesion, we request that you ensure that any protective layers applied do not contain silicones.

Sachet size

For sachets that are to be attached to a full-page advertisement, minimum dimensions of 55 mm (width) x 75 mm (length) and maximum dimensions of 80 mm (width) and 150 mm (length) apply. Deviation from these limits can be arranged following consultation on this matter.

Pressure resistance

The sachets must be able to withstand a pressure of 1,000kg for five seconds without breaking. This prevents pages of the publication from being damaged by leakage. During production, the manufacturer must test the sachets in accordance with the Military Standard 105 D (or equivalent criteria).

Seal edges

To prevent leakages in the gluing machine, the sachet's seal edges must have a minimum width of 5 mm. This does not apply to sachets that do not contain fluid or sachets that are sealed along with the entire publication. However, the pressure resistance standard applies in all cases. To ensure optimal adhesion to the publications, it is an essential requirement that the sachets, and in particular, the seal edges, are as flat as possible.

Packaging

The sachets must be delivered in boxes of around 500, and all sachets must point in the same direction when packed. The rows of sachets must be partitioned. To prevent deformation of the seal edges, the dimensions of both boxes and partitions must be 10mm greater than those of the sachets. Use boxes that are easy to handle.

LINDA.

TECHNICAL INFORMATION SACHETS AND INSERTS 2/3

INSERTS

- When using the Lumbeck method to attach an insert that is **2 cm shorter in both length and width than LINDA.**, both the outside and the bottom of the insert must be cut to size. The insert must have a 5 mm header margin and a 3 mm inner margin.
- When using the Lumbeck method to attach an insert that is **narrower in width than LINDA.**, the outside of the insert must be cut to size. The insert must have 5 mm header margins, 5 mm footer margins and 3 mm inner margins.
- When using the Lumbeck method to attach an insert that is **shorter in length than LINDA.**, then the bottom of the insert must be cut to size. The insert must have a 5 mm header margin, a 3 mm inner margin and a 5 mm outer margin.
- The type of paper used for the insert must differ from the type used by LINDA. magazine.
- The font used on the insert must differ from the font used by LINDA. magazine.
- Sachets and cards must always be adhered in an area that is 20 mm from the spine/page edges.

LIABILITY

If already printed without the approval of Mood for Magazines, the responsibility lies with the customer. If, upon delivery of the sachets or during the production of the publication, it is established that the sachets have not been produced in accordance with the applicable terms and conditions, and as a result of this, the publisher judges that it is unable to include the sachets in the publication or is unable to do so without delaying production of the publication, or, upon delivery of the sachets or during the production of the publication, leakages are discovered, then Mood for Magazines reserves the right to refuse acceptance of the sachets upon delivery or to immediately halt the inclusion of the sachets during production of the publication(s) in question.

The client shall compensate Mood for Magazines for any extra costs and damages incurred as a result of refusal of the sachets and/or interruption of the production of the publication, without prejudice to the right of Mood for Magazines to receive payment of the rates agreed for the delivery of the sachets.

In the event that leakages are discovered following inclusion of the sachets or during the distribution of the publication, then the client shall compensate Mood for Magazines for all costs and damages incurred as a result.

LINDA.

TECHNICAL INFORMATION
SACHETS AND INSERTS 3/3

DUMMY

Two months prior to publication, ten dummy copies must be sent to **Mood for Magazines** for approval.

Delivery address for dummy copies

Mood for Magazines (5 copies)

attn. Sales Support

Huizerstraatweg 117

1411 GM Naarden

The Netherlands

Walstead Kraków Sp. z o.o. (5 copies)

Attn. Jacek Lopta

ul. Obrońców Modlina 11

30-733 Kraków

Poland

DELIVERY ADDRESSES

Delivery address for delivery of entire print run, delivery address for LINDA. news stand sales and for LINDA. subscribers – paste and attach

Walstead Kraków Sp. z o.o.

(Fill in product, magazine title and issue number)

ul. Obrońców Modlina 11

30-733 Kraków

Poland

Delivery address for LINDA. subscribers – insert/attach on top separately

Nic Oud

(Fill in product, magazine title and issue number)

Newtonstraat 46

1704 SB Heerhugowaard

The Netherlands

Delivery address for delivery entire print run for LINDA.meiden summer book and winterbook, news stand sales and subscribers – paste and attach

Habo Da Costa

attn. Arnout Vlaanderen

(Fill in product, magazine title and issue number)

Marconieweg 3

4131 PD Vianen

The Netherlands

LINDA.

TERMS OF DELIVERY SACHETS AND INSERTS 1/3

ADMINISTRATIVE GUIDELINES

Goods/pallets for delivery must have labels/pallet labels with:

- The name of the insert and any codes.
- The title in which the insert is to be placed.
- The edition number of the title concerned.

The accompanying consignment note must contain the same information as above, along with the numbers supplied.

Delivery dates are provided by Sales Support.

If the above conditions are not met, Mood for Magazines or the printing/finishing company acting on behalf of Mood for Magazines reserves the right to refuse the delivery.

PHYSICAL CONDITIONS

Delivered goods must be packaged in a manner that meets the following conditions:

- Products may not be damaged.
- Products may not be curled/bent.
- Products may not stick/cling.
- Products must be easy to process in production.

To prevent the problems detailed above, packaging requirements and/or suggestions are listed below.

BUNDLING

Avoid using bundling strings to prevent curling.

Do not use elastic bands, strapping, paper bands, etc.

Any bundles smaller than 7 cm will lead to extra costs, which will be passed on.

All copies must be stacked facing in the same direction per layer or per bundle respectively.

Layers must be well separated, both on top of and alongside each other.

If stacking is not possible, the use of boxes or pallet boxes with partitions may be advisable.

LINDA.

TERMS OF DELIVERY SACHETS AND INSERTS 2/3

BOXES/PALLET

- Boxes must weigh no more than 8 kg.
- Boxes may not be crushed or damaged.
- Where possible, stack boxes in an overlapping brick pattern on the pallet.
- Dividers must be 1 cm higher than the contents.

PALLETS

- Pallets must be delivered well packaged in sheet or shrink-film wrapping.
- Where necessary, insert sturdy dividing sheets between the layers.
- Where necessary, use corner protection.
- Products must remain within the pallet.
- Preferably use Europallets, as these can be exchanged.
- Use of pallet crates is not permitted. An exception to this is pallet boxes.
- Printed material with UV varnish coating must not be stacked higher than 80 cm. Pallets should be marked "Do not stack".

LINDA.

TERMS OF DELIVERY SACHETS AND INSERTS 3/3

ADDITIONAL CONDITIONS

Staggered stitching

Indien een goede stapeling dat vereist, is het toegestaan de producten verspringend gehecht aan te leveren.

Perforation

Products with perforations (e.g. in the spine or in the closed top or bottom edge) must not be at risk of tearing.

If necessary (for reply cards and the like), make the perforation at least 10 mm from the spine.

In-line stitched products

The staples in in-line stitched products must be flat and closed in order to prevent production problems.

Folding

Unless otherwise indicated, cards, folders and brochures must be supplied folded.

Models

It is highly recommended to always send models for checking as soon as possible.

GENERAL INFORMATION

Any request for information or queries about specifications or deliveries must be made to Mood for Magazines and not to the relevant processor.

If the delivery does not comply with the above conditions or is presented earlier than the delivery date set by Mood for Magazines, Mood for Magazines reserves the right to refuse the delivery.

In the event of early delivery, Mood for Magazines is entitled to charge storage and administration costs to its client without prior notice.

Mood for Magazines cannot accept any liability for the content and consequences of agreements made with third parties with regard to the transaction concerned, unless Mood for Magazines expressly approves this.

The General Advertising Terms and Conditions for Mood for Magazines apply fully to orders for inserts.

LINDA.

AD POLICY

AD POLICY 1/1 page

- At least 2/3 of the page is image, maximum 1/3 text
- No actionstickers, price buttons & stickers
- No references to LINDA.
- No advertorials
- No LINDA. Look & Feel
- No coupling and/or cutting edge

Foy any questions, please contact your account manager.